

	Type	Hits	Search Text	DBs
1	BRS	161	324/503.ccls.	USPAT
2	BRS	4	324/503.ccls. and inductance	USPAT
3	BRS	12	324/503.ccls. and (magnetic adj field)	USPAT
4	BRS	17	"324"/\$.ccls. and (vehicle same (loop adj inductance))	USPAT
5	BRS	1	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and (analog adj digital adj converter)	USPAT
6	BRS	5	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and capacitance	USPAT
7	BRS	1	((("324"/\$.ccls. and (vehicle same (loop adj inductance))) and capacitance) and filter	USPAT
8	BRS	0	((("324"/\$.ccls. and (vehicle same (loop adj inductance))) and capacitance) and ((("324"/\$.ccls. and (vehicle same (loop adj inductance))) and (analog adj digital adj converter)))	USPAT
9	BRS	7	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and noise	USPAT
10	BRS	0	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and (common adj mode adj noise)	USPAT
11	BRS	111	"324"/\$.ccls. and (common adj mode adj noise)	USPAT
12	BRS	3	"324"/\$.ccls. and (inductance with (common adj mode adj noise))	USPAT
13	BRS	5	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and (output adj voltage)	USPAT
14	BRS	85	324/654.ccls.	USPAT
15	BRS	1	"3873964".pn.	USPAT

	Type	Hits	Search Text	DBs
16	BRS	1	"3873964".pn.	USPAT
17	BRS	1	10/184768	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	10	324/654-655.ccls. and (inductance with loop)	USPAT
19	BRS	248	324/234.ccls.	USPAT
20	BRS	361	324/236.ccls.	USPAT
21	BRS	852	331/65.ccls.	USPAT
22	BRS	34	331/65.ccls. and (inductance with (resistance and capacitance))	USPAT
23	BRS	486	340/870.18.ccls.	USPAT
24	BRS	1	340/870.18.ccls. and (demodulation with frequency with amplitude)	USPAT
25	BRS	1	340/870.18.ccls. and (inductance near3 sens\$3)	USPAT
26	BRS	7	340/870.18.ccls. and (induct\$4 near3 sens\$3)	USPAT
27	BRS	1	(340/870.18.ccls. and (induct\$4 near3 sens\$3)) and demodulation	USPAT
28	BRS	29	340/870.18.ccls. and (demodulation)	USPAT

	Type	Hits	Search Text	DBs
29	BRS	4	340/870.18.ccls. and (demodulation with amplitude)	USPAT
30	BRS	160	Hilliard.in.	USPAT
31	BRS	4	Hilliard.in. and (induct\$4 adj sensor)	USPAT
32	BRS	0	"6337602".URPN.	USPAT
33	BRS	17	deb.xa. and (induct\$4 with sens\$3)	USPAT
34	BRS	3	(deb.xa. and (induct\$4 with sens\$3)) and demodulation	USPAT
35	BRS	3	deb.xa. and (inductance with resonan\$)	USPAT
36	BRS	74	324/655.ccls.	USPAT
37	BRS	420	324/239.ccls.	USPAT
38	BRS	12	324/239.ccls. and (inductance with loop)	USPAT
39	BRS	3	(324/239.ccls. and (inductance with loop)) and demodulator	USPAT
40	BRS	80	324/327.ccls.	USPAT
41	BRS	13	"5140257".URPN.	USPAT
42	BRS	566	340/870.31.ccls.	USPAT
43	BRS	2	340/870.31.ccls. and (inductance same demodulator)	USPAT

	Type	Hits	Search Text	DBs
44	BRS	16	340/870.31.ccls. and (oscillator same demodulator)	USPAT
45	BRS	5	("4472706" "5455768" "4263549" "4568937" "5844502").pn.	USPAT
46	BRS	15	("1992214" "3587040" "3641569" "3775742" "3873964" "3927389" "3984764" "4276539" "4843259" "5198811" "5245334" "5491475" "5523753" "5614894" "5861820").PN.	USPAT
47	BRS	2	"6337602".URPN.	USPAT
48	BRS	1	"4472706".pn.	USPAT
49	BRS	15	("3587040" I "3873964" "426354" "4276539" "4296401" "4472706" "4568937" "4843259" "4873494" "5153525" "5361064" "5455768" "5491475" "5523753" "5844502" "6337602").pn.	USPAT
50	BRS	1	(US-3271737-\$).did.	USOCR
51	BRS	9	((("3587040" I "3873964" "426354" "4276539" "4296401" "4472706" "4568937" "4843259" "4873494" "5153525" "5361064" "5455768" "5491475" "5523753" "5844502" "6337602").pn.) not (("1992214" "3587040" "3641569" "3775742" "3873964" "3927389" "3984764" "4276539" "4843259" "5198811" "5245334" "5491475" "5523753" "5614894" "5861820").PN.)	USPAT
52	BRS	2	("4472706" "5621314").pn.	USPAT
53	BRS	15	("3587040" I "3873964" "426354" "4276539" "4296401" "4472706" "4568937" "4843259" "4873494" "5153525" "5361064" "5455768" "5491475" "5523753" "5844502" "6337602").pn.	USPAT
54	BRS	1	"4263549".pn.	USPAT
55	BRS	18	"4263549".URPN.	USPAT

56	BRS	1	"3783415".PN.	USPAT
----	-----	---	---------------	-------

	Type	Hits	Search Text	DBs
57	BRS	1	(US-3271737-\$).did.	USOCR
58	BRS	212	"324"/\$.ccls. and (measur\$3 with (inductance and (wire sdj loop)))	USPAT
59	BRS	230	"324"/\$.ccls. and (measur\$3 with (inductance and (wire sdj loop)))	USPAT
60	BRS	1	(US-3271737-\$).did.	USOCR
61	BRS	224	("324"/\$.ccls. and (measur\$3 with (inductance and (wire sdj loop)))) not ((US-4354155-\$ or US-5686839-\$ or US-5337013-\$ or US-5751225-\$ or US-5734338-\$ or US-5621314-\$ or US-5523753-\$ or US-5455768-\$ or US-4568937-\$ or US-4566008-\$ or US-4472706-\$ or US-4430636-\$ or US-4368428-\$ or US-4302746-\$ or US-4296401-\$ or US-4239415-\$ or US-3989932-\$ or US-3984764-\$ or US-3942108-\$ or US-6204659-\$ or US-5844502-\$ or US-3873964-\$ or US-6337602-\$ or US-5469156-\$ or US-5198811-\$ or US-6590400-\$).did. or (US-6446764-\$ or US-6384721-\$ or US-4204190-\$ or US-3975706-\$ or US-4263549-\$).did.)	USPAT
62	BRS	38	((("324"/\$.ccls. and (measur\$3 with (inductance and (wire sdj loop)))) not ((US-4354155-\$ or US-5686839-\$ or US-5337013-\$ or US-5751225-\$ or US-5734338-\$ or US-5621314-\$ or US-5523753-\$ or US-5455768-\$ or US-4568937-\$ or US-4566008-\$ or US-4472706-\$ or US-4430636-\$ or US-4368428-\$ or US-4302746-\$ or US-4296401-\$ or US-4239415-\$ or US-3989932-\$ or US-3984764-\$ or US-3942108-\$ or US-6204659-\$ or US-5844502-\$ or US-3873964-\$ or US-6337602-\$ or US-5469156-\$ or US-5198811-\$ or US-6590400-\$).did. or (US-6446764-\$ or US-6384721-\$ or US-4204190-\$ or US-3975706-\$ or US-4263549-\$).did.)) and (drive\$2 near3 circuit)	USPAT
63	BRS	1	324/655.ccls. and (pair with drive\$2)	USPAT

	Type	Hits	Search Text	DBs
64	BRS	8	324/654.ccls. and (driver adj circuit)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
65	BRS	1016	324/207.15-207.17.ccls.	USPAT
66	BRS	216	324/654-657.ccls.	USPAT
67	BRS	27	S1 and S2	USPAT
68	BRS	1	(US-3271737-\$).did.	USOCR
69	BRS	22	S3 not S4	USPAT
70	BRS	4	S3 and (driver adj circuit)	USPAT
71	BRS	1	S1 and (first adj driver adj circuit)	USPAT
72	BRS	2	S1 and (second adj driver adj circuit)	USPAT
73	BRS	1	S2 and (first adj driver adj circuit)	USPAT
74	BRS	1	S2 and (second adj driver adj circuit)	USPAT
75	BRS	1	S2 and (first adj driver)	USPAT
76	BRS	1	S2 and (second adj driver)	USPAT

	Type	Hits	Search Text	DBs
77	BRS	5	S1 and (first adj driver)	USPAT
78	BRS	4	S1 and (second adj driver)	USPAT
79	BRS	3	S14 and S15	USPAT
80	BRS	192	324/503.ccls.	US- PGPUB; USPAT; EPO; DERWEN T
81	BRS	4	S84 and inductance	USPAT
82	BRS	14	324/503.ccls. and (magnetic adj field)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
83	BRS	17	"324"/\$.ccls. and (vehicle same (loop adj inductance))	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
84	BRS	2	S87 and (analog adj digital adj converter)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
85	BRS	5	S87 and capacitance	USPAT

	Type	Hits	Search Text	DBs
86	BRS	5	S87 and capacitance	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TDB
87	BRS	1	S89 and filter	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TDB
88	BRS	0	S87 and (common adj mode adj noise)	USPAT; EPO; DERWEN T; IBM_TDB
89	BRS	4	"324"/\$.ccls. and (inductance with (common adj mode adj noise))	USPAT; EPO; DERWEN T; IBM_TDB
90	BRS	5	("324"/\$.ccls. and (vehicle same (loop adj inductance))) and (output adj voltage)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TDB
91	BRS	117	324/654.ccls.	USPAT; EPO; DERWEN T; IBM_TDB

	Type	Hits	Search Text	DBs
92	BRS	12	324/654-655.ccls. and (inductance with loop)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
93	BRS	1029	324/207.15-207.17.ccls.	USPAT
94	BRS	223	324/654-657.ccls.	USPAT
95	BRS	27	S97 and S98	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
96	BRS	27	S97 and S98	USPAT
97	BRS	33	(US-4263549-\$ or US-6204659-\$ or US-5844502-\$ or US-5861746-\$ or US-5666286-\$ or US-5196983-\$ or US-5481187-\$ or US-3873964-\$ or US-6337602-\$ or US-5469156-\$ or US-3975706-\$ or US-6590400-\$ or US-5198811-\$ or US-5686839-\$ or US-4354155-\$ or US-5337013-\$ or US-5751225-\$ or US-5523753-\$ or US-5621314-\$ or US-5734338-\$ or US-5455768-\$ or US-4472706-\$ or US-4566008-\$ or US-4568937-\$ or US-4296401-\$ or US-4368428-\$).did. or (US- 3984764-\$ or US-4239415-\$ or US-3989932-\$ or US-4302746-\$ or US-4430636-\$ or US-3942108-\$).did. or (US-20040095148-\$).did.	US- PGPUB; USPAT
98	BRS	22	S100 not S101	USPAT; EPO; DERWEN T; IBM_TD B

	Type	Hits	Search Text	DBs
99	BRS	0	S102 and (driver adj circuit)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
100	BRS	1231	324/207.15-207.17.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
101	BRS	1	S97 and (first adj driver adj circuit)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
102	BRS	2	S97 and (second adj driver adj circuit)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
103	BRS	27	S98 and S100	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B

104	BRS	1	S105 and S106	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
-----	-----	---	---------------	--

	Type	Hits	Search Text	DBs
105	BRS	259	324/546.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
106	BRS	259	324/546.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B

10/614384

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	302	324/207.15.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B	2004/ 12/13 10:54
2	BRS	L3	302	324/207.15.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B	2004/ 12/13 09:18
3	BRS	L9	14	324/76.\$2.ccls. and (synchronous adj demodulator)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:30
4	BRS	L10	274	329/358.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L11	274	329/358.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
6	BRS	L12	0	11 and 324/546.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
7	BRS	L13	0	11 and 324/654.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
8	BRS	L14	9	11 and "324"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L15	9	11 and "324"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:29
10	BRS	L16	0	15 and (synchronous adj demodulator)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
11	BRS	L17	117	329/361.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
12	BRS	L19	0	18 and 324/546.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L20	0	18 and 324/654.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:32
14	BRS	L18	6	17 and (synchronous adj demodulator)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:56
15	BRS	L21	89	324/76.75.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B	2004/ 12/13 11:00
16	BRS	L22	0	21 and (synchronous adj demodulator)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L23	2	21 and (demodulator)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2004/ 12/13 10:57
18	BRS	L24	2	21 and driver	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B	2004/ 12/13 11:00